

Flanged Sleeve Bushing — ISO / DIN (Series 135) — ISO / DIN

Engineering Hardware · engineeringhardware.com/fastener/cad-svg-135-bushing

[Fasteners/ Bearings & Bushings/ Flanged Sleeve Bushing — ISO / DIN \(Series 135\)](#)

[Bearings & Bushings · CAD Bushings](#)

Flanged Sleeve Bushing — ISO / DIN (Series 135) to ISO / DIN. Full dimensional table, materials, finishes and quotation. 10 sizes listed.



Technical Drawing

Customize the parameters below — every spec field is editable, and the drawing redraws to match the values you choose.

Changing the size will snap the other fields to that size's standard values; you can then override any individual value.

Sends the selected values to the quote form below.

Request a Quotation for Flanged Sleeve Bushing — ISO / DIN (Series 135)

Tell us the size, material, finish and quantity you need for Flanged Sleeve Bushing — ISO / DIN (Series 135) (ISO / DIN) and our team will respond within one business day. Click "Request this configuration" on the drawing above to send the parameters you just chose straight into this form.

Category Type Standard Thread size Material Finish

Dimensions & Specifications (ISO / DIN)

Every row below is a starting point for the customizer above — pick any size and the drawing will redraw to that row.

Inner diameter d (mm)	Outer diameter D (mm)	Length L (mm)	Flange diameter F (mm)	Material	Reference standard
6	8	10	12	Oil-impregnated bronze	ISO 4379 / GB/T 18324
8	10	12	14	Oil-impregnated bronze	ISO 4379 / GB/T 18324
10	12	15	16	Oil-impregnated bronze	ISO 4379 / GB/T 18324
12	14	18	18	Oil-impregnated bronze	ISO 4379 / GB/T 18324
16	18	20	22	Oil-impregnated bronze	ISO 4379 / GB/T 18324
20	23	25	28	Oil-impregnated bronze	ISO 4379 / GB/T 18324
25	28	30	34	Oil-impregnated bronze	ISO 4379 / GB/T 18324
30	34	35	40	Oil-impregnated bronze	ISO 4379 / GB/T 18324
40	45	45	52	Oil-impregnated bronze	ISO 4379 / GB/T 18324
50	55	50	62	Oil-impregnated bronze	ISO 4379 / GB/T 18324

Manufactured to ISO / DIN, Flanged Sleeve Bushing — ISO / DIN (Series 135) are bearings & bushings supplied by engineeringhardware.com. The dimensional data, materials and selection notes are summarized here.

What Are Flanged Sleeve Bushing — ISO / DIN (Series 135)?

Flanged Sleeve Bushing — ISO / DIN (Series 135) are bearings & bushings defined by ISO / DIN. They are selected by thread size and the dimensional characteristics shown below, and are available in a range of materials and finishes to suit the application and environment.

CAD Source Reference

This page is generated from an original native CAD part model (SolidWorks .SLDPRT) of the flanged sleeve bushing — iso / din (series 135) family maintained by our engineering team. The technical drawing shown above is rebuilt parametrically from the dimensional table, so it always reflects the exact size and configuration you select. Native CAD files (STEP / SLDPRPT) can be supplied with your quotation on request.

Materials & Finishes

Common materials include carbon steel (typically zinc plated or hot-dip galvanized), alloy steel in property classes 8.8, 10.9 and 12.9, and stainless steel A2 (304) or A4 (316) for corrosion resistance. Specify the material, property class and surface finish appropriate to your load and environment.

Typical Applications

Supporting rotating shafts and reducing friction in machinery, drives and equipment. [Read the full application guide for Flanged Sleeve Bushing — ISO / DIN \(Series 135\) →](#)

Related Fasteners

- [Flanged Sleeve Bushing — ISO / DIN \(Series 140\) — ISO / DIN](#)
- [Cylindrical Roller Bearing — ISO / DIN \(Series 139\) — ISO / DIN](#)
- [Angular Contact Ball Bearing — ISO / DIN \(Series 137\) — ISO / DIN](#)
- [Deep Groove Ball Bearing — ISO / DIN \(Series 131\) — ISO / DIN](#)
- [Housed \(Pillow Block\) Bearing — ISO / DIN \(Series 122\) — ISO / DIN](#)

Pricing

Flanged Sleeve Bushing — ISO / DIN (Series 135) are stocked and supplied to order. Pricing starts from approximately US\$1.50 per piece for standard sizes in carbon steel; final pricing depends on size, material, finish and order quantity (MOQ applies). Submit your exact configuration with the quote form above.

Frequently Asked Questions

Which standard governs Flanged Sleeve Bushing — ISO / DIN (Series 135), and how are they driven?

Flanged Sleeve Bushing — ISO / DIN (Series 135) are manufactured to ISO / DIN and use the standard drive for this product family.

The dimensional values on this page follow that standard.

What is the size range of Flanged Sleeve Bushing — ISO / DIN (Series 135)?

The table on this page lists 10 sizes for Flanged Sleeve Bushing — ISO / DIN (Series 135), ranging from 6 to 50. Sizes outside the table can be quoted on request.

In which materials are Flanged Sleeve Bushing — ISO / DIN (Series 135) supplied?

Flanged Sleeve Bushing — ISO / DIN (Series 135) are supplied in carbon steel and stainless, with finishes including zinc plating, hot-dip galvanizing and black oxide. Choose material and finish to suit the load and the service environment for Flanged Sleeve Bushing — ISO / DIN (Series 135).

How do I request a quotation?

Use the parametric drawing on this page to set the exact configuration (size, material, finish) and click "Request this configuration" — a specialist from engineeringhardware.com will respond within one business day.

More Bearings & Bushings

[← Previous](#)[Deep Groove Ball Bearing — ISO / DIN \(Series 118\)](#)[ISO / DIN](#)[Next →](#)[Housed \(Pillow Block\) Bearing — ISO / DIN \(Series 119\)](#)
[ISO / DIN](#)