

Wire Rope Clip (U-Bolt) — ISO / DIN (Series 157) — ISO / DIN

Engineering Hardware · engineeringhardware.com/fastener/cad-svg-157-ropeclip

[Fasteners/ Rigging Hardware/](#) Wire Rope Clip (U-Bolt) — ISO / DIN (Series 157)

Rigging Hardware · CAD Wire Rope Clips

Wire Rope Clip (U-Bolt) — ISO / DIN (Series 157) to ISO / DIN. Full dimensional table, materials, finishes and quotation. 8 sizes listed.



Technical Drawing

Customize the parameters below — every spec field is editable, and the drawing redraws to match the values you choose.

Changing the size will snap the other fields to that size's standard values; you can then override any individual value.

Sends the selected values to the quote form below.

Request a Quotation for Wire Rope Clip (U-Bolt) — ISO / DIN (Series 157)

Tell us the size, material, finish and quantity you need for Wire Rope Clip (U-Bolt) — ISO / DIN (Series 157) (ISO / DIN) and our team will respond within one business day. Click "Request this configuration" on the drawing above to send the parameters you just chose straight into this form.

Category Type Standard Thread size Material Finish

Dimensions & Specifications (ISO / DIN)

Every row below is a starting point for the customizer above — pick any size and the drawing will redraw to that row.

For rope diameter (mm)	U-bolt diameter (mm)	Saddle width (mm)	Bolt thread	Working load limit (kg)	Reference standard
6	M5	16	M5	60	DIN 1142 / GB/T 5976
8	M6	20	M6	110	DIN 1142 / GB/T 5976
10	M8	26	M8	180	DIN 1142 / GB/T 5976
12	M10	32	M10	260	DIN 1142 / GB/T 5976
16	M12	38	M12	460	DIN 1142 / GB/T 5976
20	M14	45	M14	720	DIN 1142 / GB/T 5976
24	M16	55	M16	1050	DIN 1142 / GB/T 5976
30	M20	70	M20	1640	DIN 1142 / GB/T 5976

Wire Rope Clip (U-Bolt) — ISO / DIN (Series 157) are rigging hardware manufactured to ISO / DIN. This page lists the full dimensional range with the key specifications engineers need to select and specify them.

What Are Wire Rope Clip (U-Bolt) — ISO / DIN (Series 157)?

Wire Rope Clip (U-Bolt) — ISO / DIN (Series 157) are rigging hardware defined by ISO / DIN. They are selected by thread size and the dimensional characteristics shown below, and are available in a range of materials and finishes to suit the application and environment.

CAD Source Reference

This page is generated from an original native CAD part model (SolidWorks .SLDPRT) of the wire rope clip (u-bolt) — iso / din (series 157) family maintained by our engineering team, covering 3 recorded size configurations. The technical drawing shown above is rebuilt parametrically from the dimensional table, so it always reflects the exact size and configuration you select. Native CAD files (STEP / SLDPR) can be supplied with your quotation on request.

Materials & Finishes

Common materials include carbon steel (typically zinc plated or hot-dip galvanized), alloy steel in property classes 8.8, 10.9 and 12.9, and stainless steel A2 (304) or A4 (316) for corrosion resistance. Specify the material, property class and surface finish appropriate to your load and environment.

Typical Applications

Lifting, tensioning and securing wire-rope assemblies and related hardware. [Read the full application guide for Wire Rope Clip \(U-Bolt\) — ISO / DIN \(Series 157\) →](#)

Related Fasteners

- [Wire Rope Thimble — ISO / DIN \(Series 158\) — ISO / DIN](#)
- [Wire Rope — ISO / DIN \(Series 152\) — ISO / DIN](#)
- [Wire Rope Thimble — ISO / DIN \(Series 155\) — ISO / DIN](#)
- [Turnbuckle — ISO / DIN \(Series 156\) — ISO / DIN](#)
- [Wire Rope — GB/T 6170 / ISO 4032 \(Series 063\) — GB/T 6170 / ISO 4032](#)

Pricing

Wire Rope Clip (U-Bolt) — ISO / DIN (Series 157) are stocked and supplied to order. Pricing starts from approximately US\$0.80 per piece for standard sizes in carbon steel; final pricing depends on size, material, finish and order quantity (MOQ applies). Submit your exact configuration with the quote form above.

Frequently Asked Questions

Which standard governs Wire Rope Clip (U-Bolt) — ISO / DIN (Series 157), and how are they driven?

Wire Rope Clip (U-Bolt) — ISO / DIN (Series 157) are manufactured to ISO / DIN and use the standard drive for this product family. The dimensional values on this page follow that standard.

Which sizes of Wire Rope Clip (U-Bolt) — ISO / DIN (Series 157) does engineeringhardware.com supply?

The table on this page lists 8 sizes for Wire Rope Clip (U-Bolt) — ISO / DIN (Series 157), ranging from 6 to 30. Sizes outside the table can be quoted on request.

In which materials are Wire Rope Clip (U-Bolt) — ISO / DIN (Series 157) supplied?

Wire Rope Clip (U-Bolt) — ISO / DIN (Series 157) are supplied in carbon steel and stainless, with finishes including zinc plating, hot-dip galvanizing and black oxide. Choose material and finish to suit the load and the service environment for Wire Rope Clip (U-Bolt) — ISO / DIN (Series 157).

How do I request a quotation?

Use the parametric drawing on this page to set the exact configuration (size, material, finish) and click "Request this configuration" — a specialist from engineeringhardware.com will respond within one business day.

More Rigging Hardware

[← Previous Turnbuckle — ISO / DIN \(Series 156\) ISO / DIN](#) [Next → Wire Rope Thimble — ISO / DIN \(Series 158\) ISO / DIN](#)